

**Table E.1 Household age distribution**  
Single-year age distribution of the de facto household population by sex (weighted), India, 2005-06

Age	Women		Men		Age	Women		Men	
	Number	Percent	Number	Percent		Number	Percent	Number	Percent
0	5,458	2.1	5,699	2.2	37	1,872	0.7	1,779	0.7
1	5,038	2.0	5,697	2.2	38	3,378	1.3	3,146	1.2
2	5,226	2.0	5,839	2.3	39	1,490	0.6	1,327	0.5
3	5,632	2.2	6,122	2.4	40	7,032	2.7	7,689	3.0
4	5,546	2.2	6,068	2.4	41	1,086	0.4	1,057	0.4
5	5,566	2.2	6,152	2.4	42	2,589	1.0	2,714	1.1
6	6,432	2.5	6,795	2.6	43	1,417	0.5	1,228	0.5
7	6,121	2.4	6,309	2.4	44	1,147	0.4	1,146	0.4
8	6,788	2.6	7,104	2.8	45	5,499	2.1	6,710	2.6
9	5,169	2.0	5,487	2.1	46	1,405	0.5	1,421	0.6
10	6,795	2.6	7,661	3.0	47	1,343	0.5	1,183	0.5
11	4,681	1.8	5,113	2.0	48	1,859	0.7	2,190	0.8
12	7,022	2.7	7,633	3.0	49	790	0.3	950	0.4
13	6,380	2.5	6,430	2.5	50	2,481	1.0	4,781	1.9
14	4,633	1.8	5,408	2.1	51	1,883	0.7	875	0.3
15	4,794	1.9	4,710	1.8	52	3,318	1.3	1,673	0.6
16	5,488	2.1	5,104	2.0	53	1,503	0.6	892	0.3
17	4,443	1.7	4,273	1.7	54	1,168	0.5	716	0.3
18	6,367	2.5	6,209	2.4	55	5,294	2.1	2,786	1.1
19	3,863	1.5	3,504	1.4	56	1,228	0.5	2,257	0.9
20	6,855	2.7	5,650	2.2	57	691	0.3	1,124	0.4
21	3,349	1.3	3,498	1.4	58	1,159	0.4	1,854	0.7
22	5,749	2.2	5,109	2.0	59	420	0.2	626	0.2
23	3,911	1.5	3,455	1.3	60	6,152	2.4	5,489	2.1
24	3,457	1.3	3,397	1.3	61	350	0.1	447	0.2
25	7,736	3.0	6,492	2.5	62	1,013	0.4	1,162	0.5
26	3,858	1.5	3,537	1.4	63	416	0.2	502	0.2
27	3,264	1.3	3,066	1.2	64	261	0.1	447	0.2
28	4,969	1.9	4,354	1.7	65	4,153	1.6	4,147	1.6
29	2,213	0.9	1,946	0.8	66	269	0.1	422	0.2
30	8,167	3.2	7,574	2.9	67	257	0.1	385	0.1
31	1,669	0.6	1,560	0.6	68	538	0.2	557	0.2
32	4,236	1.6	3,879	1.5	69	214	0.1	222	0.1
33	2,088	0.8	1,734	0.7	70+	8,250	3.2	8,422	3.3
34	2,022	0.8	1,760	0.7	Don't know/missing	35	0.0	14	0.0
35	8,338	3.2	8,585	3.3					
36	2,518	1.0	2,453	1.0	Total	257,801	100.0	257,707	100.0

Note: The de facto population includes residents and nonresidents who stayed in the household the night before the interview.

Table E.2.1 Age distribution of eligible and interviewed women

De facto household population of women age 10-54, interviewed women age 15-49, and percentage of eligible women who were interviewed (weighted), by five-year age groups, India, 2005-06

Age group	Household population of women age 10-54	Interviewed women age 15-49		Percentage of eligible women interviewed
		Number	Percent	
10-14	29,511	na	na	na
15-19	24,954	23,779	19.2	95.3
20-24	23,320	22,092	17.8	94.7
25-29	22,040	20,969	16.9	95.1
30-34	18,183	17,421	14.0	95.8
25-39	17,596	16,830	13.6	95.6
40-44	13,271	12,686	10.2	95.6
45-49	10,895	10,312	8.3	94.6
50-54	10,353	na	na	na
15-49	130,259	124,088	100.0	95.3

Note: The de facto population includes all residents and nonresidents who stayed in the household the night before the interview. For all columns, the age distribution is taken from the ages reported on the Household Questionnaire. The total number of interviewed women in this table differs from the number in earlier tables because this table uses household weights rather than individual weights for the calculations.

na = Not applicable

Table E.2.2 Age distribution of eligible and interviewed men

De facto household population of men age 10-59, interviewed men age 15-54, and percentage of eligible men who were interviewed (weighted), India, 2005-06

Age group	Household population of men age 10-59	Interviewed men age 15-54		Percentage of eligible men interviewed
		Number	Percent	
10-14	21,150	na	na	na
15-19	14,570	13,113	17.6	90.0
20-24	13,290	11,723	15.8	88.2
25-29	12,247	10,720	14.4	87.5
30-34	10,528	9,256	12.4	87.9
25-39	11,007	9,727	13.1	88.4
40-44	8,962	7,906	10.6	88.2
45-49	7,942	7,073	9.5	89.1
50-54	5,531	4,850	6.5	87.7
55-59	5,609	na	na	na
15-54	84,078	74,369	100.0	88.5

Note: The de facto population includes all residents and nonresidents who stayed in the household the night before the interview. For all columns, the age distribution is taken from the ages reported on the Household Questionnaire. The total number of interviewed men in this table differs from the number in earlier tables because this table uses household weights rather than individual weights for the calculations.  
na = Not applicable

**Table E.3 Completeness of reporting**

Percentage of observations missing information for selected demographic and health questions/measures (weighted), India, 2005-06

Subject	Reference group	Percentage with missing information	Number of cases
<b>Birth date</b>	Births in the 15 years before the survey		
Month only		1.23	180,641
Month and year		0.17	180,641
Age at death	Deceased children born in the 15 years preceding the survey	0.09	16,424
<b>Age/date at first marriage<sup>1</sup></b>			
Women	Ever-married women age 15-49	0.11	98,923
Men	Ever-married men age 15-54	0.06	49,422
<b>Respondent's education</b>			
Women	Women age 15-49	0.01	124,385
Men	Men age 15-54	0.02	74,369
Diarrhoea in past two weeks	Children age 0-59 months	0.40	52,868
<b>Anthropometry: Women</b>	Women age 15-49 (from the Household Questionnaire)		
Height		8.44	130,259
Weight		8.42	130,259
Height or weight		8.46	130,259
<b>Anthropometry: Men</b>	Men age 15-54 (from the Household Questionnaire)		
Height		16.37	84,078
Weight		16.31	84,078
Height or weight		16.39	84,078
<b>Anthropometry: Children</b>	Children age 0-59 months (from the Household Questionnaire)		
Height		11.83	56,084
Weight		11.46	56,084
Height or weight		11.86	56,084
<b>Anaemia</b>			
Women	Women age 15-49 (from the Household Questionnaire)	10.27	130,259
Men	Men age 15-54 (from the Household Questionnaire)	17.69	84,078
Children	Children age 6-59 months (from the Household Questionnaire)	16.31	50,651

<sup>1</sup> Both year and age missing.

Table E.4 Births by calendar year

Number of births, percentage with complete birth date, sex ratio at birth, and calendar year ratio by calendar year, according to living (L), dead (D), and total (T) children (weighted), India, 2005-06

Calendar year	Number of births			Percentage with complete birth date <sup>1</sup>			Sex ratio at birth <sup>2</sup>			Calendar year ratio <sup>3</sup>		
	L	D	T	L	D	T	L	D	T	L	D	T
2006	2,116	88	2,204	100.0	100.0	100.0	940	873	938	na	na	na
2005	10,699	572	11,271	100.0	100.0	100.0	952	807	944	na	na	na
2004	10,494	620	11,114	100.0	99.8	100.0	899	807	894	na	na	na
2003	10,584	796	11,380	100.0	99.7	100.0	881	1,079	893	99.8	108.1	100.3
2002	10,716	853	11,569	100.0	100.0	100.0	938	1,201	956	100.3	106.1	100.8
2001	10,774	812	11,587	100.0	98.6	99.9	904	1,068	914	97.8	92.0	97.4
2000	11,318	914	12,232	99.8	97.2	99.6	928	1,043	936	100.7	89.7	99.8
1999	11,699	1,226	12,925	98.5	94.3	98.1	931	949	933	100.7	111.4	101.6
1998	11,914	1,288	13,203	98.7	94.7	98.3	930	908	928	101.2	98.0	100.9
1997	11,849	1,403	13,252	98.3	94.6	97.9	925	959	929	106.0	108.4	106.2
2000-2004	53,886	3,995	57,881	99.9	99.0	99.9	910	1,045	919	na	na	na
1995-1999	58,122	6,653	64,775	98.4	94.7	98.0	927	953	930	na	na	na
1990-1994	50,387	6,823	57,210	97.9	93.9	97.4	916	998	925	na	na	na
1985-1989	39,591	6,639	46,230	97.1	92.7	96.5	957	937	954	na	na	na
<1985	33,341	7,959	41,301	96.3	91.8	95.4	901	864	894	na	na	na
All	248,142	32,730	280,872	98.2	94.0	97.7	923	944	926	na	na	na

na = Not applicable

<sup>1</sup> Both year and month of birth given.

<sup>2</sup>  $(B_f/B_m) \times 1000$ , where  $B_f$  and  $B_m$  are the numbers of female and male births, respectively.

<sup>3</sup>  $[2B_x/(B_{x-1}+B_{x+1})] \times 100$ , where  $B_x$  is the number of births in calendar year  $x$ .

**Table E.5 Reporting of age at death in days**

Distribution of reported deaths under one month of age by age at death in days and the percentage of neonatal deaths reported to occur at ages 0-6 days, for five-year periods of birth preceding the survey (weighted), India, 2005-06

Age at death (days)	Number of years preceding the survey				
	0-4	5-9	10-14	15-19	0-19
<1	703	988	931	847	3,468
1	367	501	499	376	1,742
2	137	216	215	183	751
3	224	336	244	228	1,031
4	88	104	137	122	451
5	91	140	138	144	512
6	77	87	139	109	412
7	49	108	141	105	403
8	73	110	128	128	439
9	31	47	61	46	185
10	41	51	57	75	225
11	23	29	21	19	92
12	22	20	64	47	154
13	14	17	23	26	80
14	9	26	13	17	65
15	93	138	126	83	439
16	7	15	16	15	53
17	5	17	9	14	45
18	6	17	26	4	53
19	9	2	6	8	25
20	42	52	38	50	182
21	20	24	16	21	81
22	9	17	28	12	66
23	3	0	3	2	8
24	3	5	0	3	11
25	11	13	23	11	58
26	0	1	7	5	13
27	7	3	9	3	22
28	1	3	6	3	13
29	5	0	3	6	14
30	0	2	2	2	7
Missing	0	2	0	2	4
Total 0-30 days	2,169	3,088	3,131	2,712	11,100
Percent early neonatal <sup>1</sup>	77.7	76.8	73.5	74.0	75.4

<sup>1</sup> ≤6 days/≤30days

**Table E.6 Reporting of age at death in months**

Distribution of reported deaths under two years of age by age at death in months and the percentage of infant deaths reported to occur at age under one month, for five-year periods of birth preceding the survey, India, 2005-06

Age at death (months)	Number of years preceding the survey				
	0-4	5-9	10-14	15-19	0-19
<1 <sup>a</sup>	2,169	3,091	3,133	2,715	11,107
1	244	283	327	341	1,195
2	121	183	177	198	679
3	134	142	191	173	639
4	68	102	109	96	376
5	55	103	84	73	316
6	91	174	191	203	659
7	38	60	76	80	254
8	57	93	79	82	311
9	49	117	78	122	366
10	39	69	100	74	282
11	28	61	82	78	248
12	41	140	205	166	552
13	20	55	43	48	166
14	15	19	34	37	106
15	17	21	21	22	81
16	5	13	12	13	43
17	10	12	4	8	33
18	73	120	130	102	424
19	4	2	6	4	15
20	4	4	2	6	16
21	0	5	4	12	21
22	3	4	3	10	21
23	6	10	11	16	43
1 year	48	136	192	202	578
Missing	2	0	2	0	4
Total 0-11 months	3,093	4,477	4,629	4,235	16,433
Percent neonatal <sup>1</sup>	70.1	69.0	67.7	64.1	67.6

<sup>a</sup> Includes deaths under one month reported in days.

<sup>1</sup> <1 month/<12 months